



2022-1

TECHNICAL DATA



Technical details



Technical specifications	T@B 320		T@B 400
	BASIC	OFFROAD (Note: H721)	BASIC
BASIC EQUIPMENT			
Total length incl. drawbar (cm)	517	517	597
Usable length (cm)	340	340	421
Width (outer/inner) (cm)	201 / 180	201 / 180	225 / 204
Height (outer/inner) (cm)	244 / 182	249 / 182	261 / 198
Effective vehicle mass including legally required basic equipment (kg) (Note: H720)	655	690	980
Technically maximum authorised laden mass (kg) (Note: H720)	800	1.000	1.200
Maximum payload (kg) (Note: H720)	145	310	220
Tyre size	195/55R15	205/70R15	205/65R15
Rim size	5,5 J x 15	6 J x 15	5,5 J x 15
Beds (Note: H141)	2	2	3
Max. number of beds (Note: H142)	2	2	3
BODY			
Window with integrated double blind	5	5	5
Body door (width x height)	55 x 150	55 x 150	55 x 170
Wall thickness, roof (mm)	31	31	31
Wall thickness, side wall (mm)	31	31	31
Wall thickness, floor (mm)	38	38	38
LIVING AREA			
Bed size, front (cm)	–	–	70 x 195
Bed size, rear (cm)	175 x 200	175 x 200	145 x 198
WATER			
Fresh water volume in liters	20	45	45
KITCHEN			
Refrigerator (ltr.)	–	–	106
ELECTRICAL SUPPLY			
Number of 230 V socket(s)	2	2	5
Number of USB socket(s)	1	1	–
o = option – = not available s = standard equipment			
	T@B 320		T@B 400
Style BASIC – Basic all around plastic trim without side wall stickers	s		s
Style MEXICAN SUNSET – Basic all around plastic trim incl. side wall stickers	o		o
Style METROPOLIS – Basic all around plastic trim incl. side wall stickers	o		o
Style OFFROAD – Basic all around plastic trim incl. side wall stickers, striking attachments in OFFROAD optic	s		–

Item no.	Standard equipment o = option – = not available s = standard equipment	T@B 320		T@B 400
		BASIC	OFFROAD	BASIC
	Chassis / Load Increase			
152832	AL-KO chassis with trailing arm axle	s	s	s
152834	Mono-axle	s	s	s
152838	Servo-assisted handbrake	s	s	s
152830	Steel rims (Dependent on layout)	s	–	s
152828	15" tyres	s	s	s
	Doors			
100588-01	Body door: T@B: one-piece with porthole window (Dependent on layout)	s	s	–
	Service hatches / Garage doors			
102914-06	Gas locker for gas bottle reserves 2 x 5 kg (Dependent on layout) (Dependency: ABH6551)	s	s	–
	Windows / Roof Hoods / Ventilation			
102923-02	High-quality double-glazed plastic windows with safety locking	s	s	s
101342-01	Hinged window (bow)	s	s	s
101351-02	Roof hood (lift-tilt) 40 x 40 cm with insect screen and blackout, clear (centre)	s	s	s
	Materials / Vehicle Graphics			
102926-09	Aluminium plain sheet version of side walls, silver	s	s	s
	Furniture / Surfaces			
552940-08	Furniture decor: Salem Ash and Lino	s	s	s
552944	Vinyl flooring	s	s	s
	Living / Sleeping / Upholstery and Fabrics			
552945-06	Foam mattresses with wooden slatted frame	s	s	s
552335-50	Upholstery selection: Basic	s	s	s
	Kitchen / Bathroom			
402985-12	High-quality 2-burner cooker-sink combination with glass cover (Dependent on layout) (Dependency: ABH6553)	s	s	–
403567	Storage cabinet instead of refrigerator (Dependent on layout)	s	s	–
	Heating / Air conditioning / Gas Supply / Water Supply			
302973	Gas system 30 mbar	s	s	s
302974	Gas hose version D/AT/ES/FI/BE/IT/NL/DK	s	s	s
302978	Gas regulator version D/AT/ES/FI/BE/IT/NL/DK	s	s	s
453510-01	Water supply with submerged pump	s	s	s
453510-08	Water supply with single-lever mixer tap (Dependent on layout)	s	s	–
452472	Fresh water tank 45 ltr., fixed installation (Dependent on layout) (Dependency: ABH6557)	o	s	s
453510-04	Central waste water pipe laying, one external drain under floor	s	s	s
452718-01	"bluuwater" water filter system	s	s	s
	Electronics / Multimedia / Safety			
253525	Electric coupling plug to the towing vehicle, Jäger 13-pin	s	s	s
253522	CEE external socket for 230 V, with circuit breaker	s	s	s
253529	Ground fault circuit interrupter	s	s	s
253528-03	Converter 240 VA	s	s	s
253517	230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version	s	s	s
253534-18	LED light strip under kitchen ceiling cabinet	s	s	s
	Miscellaneous			
953542-01	Operating instruction (German)	s	s	s
	Accessories			
953543	10-year leak-proofness guarantee	s	s	s
952823	MediKit voucher: Voucher for an extensive medication set (includes among others wound spray, disinfectant spray and various pharmacy drugs) (Note: H137)	s	s	s
953757	silvyREADY	s	s	s

Packages

Item no.

150005	12 V supply Package (27 kg)
	AGM battery, suitable for solar technology
	Electronic charger 28 A, with voltage filter (for optimal charging in driving operation)
	Display for battery power via Bord-Control

Item no.

150007	Autarkic Package – T@B L 400 TD (38 kg)
	AGM battery, suitable for solar technology
	Electronic charger 28 A, with voltage filter (for optimal charging in driving operation)
	Battery monitor
	Solar controller
	Connection for battery temperature sensor
	Display for battery power via Bord-Control
	Shower extension with fittings, omission of the 230 V socket in the TR
	Hot water system via TRUMA boiler BN 10 (omission of TRUMA Therme)

Item no.

114580	Connected-Security-Package for velocate® GPS-Tracker
252698	velocate® GPS tracker (hardware without personal tracking function, theft tracking for an additional fee)
252815	velocate® LIFETIME license with unlimited, personal, EU-wide tracking
253809	velocate® sensors (gas, temperature, motion)
	In addition, the hardware is prepared to be expanded via optional sensors (e.g. door/window contact). For more information, please visit www.velocate.com

Item no.	Features and options o = option – = not available s = standard equipment	KG	T@B 320		T@B 400
			BASIC	OFFROAD	BASIC

	Chassis / Load Increase				
150997	AL-KO Trailer Control-ATC - Anti-skid system (2.0)	4	o	o	o
150267	Stabiliser safety coupling (Dependency: ABH6541)	4	o	o	o
102868	Anti-tipper bracket	-	–	–	s
	Load Increase				
150111-15	Load increase to 800 kg (850 kg chassis)	-	s	–	–
150111-01	Load increase to 850 kg (850 kg chassis)	-	o	–	–
150112-01	Load increase to 1,000 kg (1,000 kg chassis)	10	o	–	–
150111-02	Load increase to 1,000 kg (1,000 kg chassis)	-	–	s	–
150111-05	Load increase to 1,200 kg (1,300 kg chassis)	-	–	–	s
150111-06	Load increase to 1,300 kg (1,300 kg chassis)	-	–	–	o
150112-02	Load increase to 1,400 kg (1,500 kg chassis)	12	–	–	o
150112-03	Load increase to 1,500 kg (1,500 kg chassis)	12	–	–	o
	Tyres				
151477-02	Alloy rims (205/70R15 6Jx15)	-	–	s	–
151477	Alloy rims (195/55R15 6Jx15)	-	o	–	–
151477-01	Alloy rims (205/65R15 6Jx15)	-	–	–	o

Item no.	Features and options o = option – = not available s = standard equipment	KG	T@B 320		T@B 400
			BASIC	OFFROAD	BASIC
	Transport Systems				
551464	Luggage nets (7 pieces)	1	–	–	0
100039	Bicycle carrier for 2 bikes (drawbar); maximum load capacity 30 kg	10	0	0	0
101456	Bicycle carrier for 2 bikes (rear); maximum load capacity 40 kg (Dependency: ABH6544, ABH6545)	10	0	0	0
101457	Waterproof luggage box (Dependency: ABH6544)	9	0	0	0
101455	Basic rack (necessary for mounting the bicycle rack or luggage box) (Dependency: ABH6547)	7	0	0	0
	Spare Tyre				
151467	Spare tyre with steel rim and holder in vehicle	23	0	–	0
151468	Spare tyre with alloy rim and holder on vehicle	21	0	0	0
151469	Spare tyre holder outside the vehicle and spare tyre with alloy rim (Dependency: ABH6549)	25	0	0	–
	Doors				
100832	Insect screen door	4	0	0	0
102334	Manual step	5	0	s	–
	Service hatches / Garage doors				
	Front				
102914-05	Gas locker for gas bottle reserves 2 x 11 kg (Dependency: ABH6551)	-	–	–	s
	Rear				
102435-01	Service hatch 34.9 x 29.6 cm, rear right	1	0	0	–
100612-23	Service hatch 70 x 30.5 cm, rear right	1	–	–	0
	Windows / Roof Hoods / Ventilation				
551462	Blackout roller blind and insect screen on the windows	3	0	0	s
	Rear				
103565	Sky View electric, with lighting	12	–	–	s
	Toilet Room				
100960-04	Roof hood 28 x 28 cm with insect screen, (toilet room)	2	–	–	s
	Materials / Vehicle Graphics				
	Materials				
102926-04	Alufiber roof with reduced hail sensitivity, silver	-	–	–	s
101470	Roof moulding lateral / rear	2	0	0	–
101471	Roof moulding longitudinal / rear	3	0	0	0
	Lighting / Technology				
252936	Awning light LED	-	–	–	s
	Living / Sleeping / Upholstery and Fabrics				
	Upholstery / Fabrics / Carpets				
	Upholstery Variants				
552335-51	Upholstery selection: Los Cabos	-	0	0	0
552335-72	Upholstery selection: Ocean Spray	-	0	0	0
552188-04	Upholstery selection: Active Rock	-	0	0	0
552188-02	Upholstery selection: Active Royal	-	0	0	0
	COZY HOME consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner				
550660-06	Package PEACH	3	0	0	0
550660-05	Package MAGNOLIA	3	0	0	0
550660-04	Package AQUA	3	0	0	0
550660-03	Package AVOCADO	3	0	0	0

Item no.	Features and options o = option – = not available s = standard equipment	KG	T@B 320		T@B 400
			BASIC	OFFROAD	BASIC
550660-02	Package STONE	3	0	0	0
550660-01	Package EARTH	3	0	0	0
	Kitchen / Bathroom				
	Kitchen				
402985-04	High-quality 3-burner cooker with cast iron grate and glass cover, deep sink (Dependency: ABH6553)	-	–	–	s
401476	Sink covers and cutting board in solid wood	-	–	–	0
402991-01	Refrigerator 106 ltr.	-	–	–	s
401939	Refrigerator 60 ltr. incl. freezer compartment (Dependency: ABH6555)	20	0	0	–
	Bathroom Area				
451465	Upholstered stool - suitable for Thetford Porta Potti Qube 335	6	0	0	–
453503-01	Bench toilet Thetford	-	–	–	s
	Heating / Air conditioning / Gas Supply / Water Supply				
	Heating / Air conditioning				
551054	Air circulation system 12 V	3	–	–	s
352968	Gas heating TRUMA S 3004 with Piezo ignition	-	–	–	s
351475	Heating TRUMA S 2200 with Piezo	8	0	0	–
550086	TRUMA Ultraheat	2	–	–	0
351388	Electric underfloor heating to body length 550	11	–	–	0
552528	Air conditioning TRUMA Saphir Comfort (Note: H145)	23	0	0	0
	Water Supply				
453510-03	Hot water supply with single-lever mixer tap	-	–	–	s
453514	Fresh water canister 20 ltr.	-	s	–	–
452472	Fresh water tank 45 ltr., fixed installation (Dependent on layout) (Dependency: ABH6557)	4	0	s	s
450083	TRUMA Therme with connection for kitchen and washroom	2	–	–	s
	Electronics / Multimedia / Safety				
	Electronics				
551480	Ambient lighting	3	–	–	0
	Multimedia				
551415	TV holder for flat screen with 230 V and TV connection	4	–	–	0
	Safety				
252698	velocate® GPS tracker (hardware without personal tracking function, theft tracking for an additional fee) (Note: H146)	-	0	0	0
252815	velocate® LIFETIME license with unlimited, personal, EU-wide tracking (Dependency: ABH6561)	-	0	0	0
253809	velocate® sensors (gas, temperature, motion) (Dependency: ABH12868)	-	0	0	0
	Miscellaneous				
951036	MOT and registration document	-	0	0	0
	Accessories				
150620	Breakdown service set	2	0	0	0

NOTES AND DEPENDENCIES

General notes	
H721	The name «OFFROAD» only describes one of the vehicles styling versions and neither justifies an authorized usability of the caravan, nor a quality agreement or a possible use after the purchase agreement or a suitability for a customary use.
H720	Incl. 100% fresh water tank filling (with Style OFFROAD + T@B 400 = 45 ltr. tank; with T@B 320 = 20 ltr. canister as standard); 100% gas; power supply; cable drum. Maximum payload (kg) as defined in the T@B catalogue indications = difference between technically permissible total mass and mass in running order. Please note the further notes and explanations on the back.
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your T@B dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your T@B dealer will be happy to advise you.
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H146	In addition, the hardware is prepared to be expanded via optional sensors (e.g. door/window contact). For more information, please visit www.velocate.com
H137	A voucher to redeem the medicine set is enclosed with the vehicle. The medicine set contains medicines that must be purchased from a pharmacy. The voucher can therefore only be redeemed at the responsible MediKit mail-order pharmacy at www.medikit.shop You can also obtain further information about your MediKit at www.medikit.shop .

General dependencies	
ABH6537	Not possible in combination with 150007
ABH6539	Not possible in combination with 150005
ABH6541	Includes 953557
ABH6544	Only in combination with 101471 and 101455 and 150267
ABH6545	Not possible in combination with 101457
ABH6547	Only in combination with 101471 and 150267
ABH6549	Only in combination with 101470
ABH6551	Includes 953561
ABH6553	Includes 953554
ABH6555	Replaces 403567
ABH6557	Replaces 453514
ABH6559	Replaces 450083
ABH6561	Only in combination with 252698
ABH12868	Only in combination with 252815 and 252698

NOTES

IMPORTANT INFORMATION

For leisure vehicles made by T@B, we grant you a 10-year leak-proofness guarantee on the body manufactured by us in addition to your compulsory guarantee within the framework of our guarantee conditions.

Please note the following important information FOR ALL LEISURE VEHICLES MADE BY T@B:

ABOUT THIS PRICE LIST:

The content corresponds to the state of printing in 07/2021.

The price list is valid as from 08/2021 for the 2022 model year. Previous price lists, brochure information and technical data are no longer valid in relation to the vehicles offered.

Errors and misprints are reserved.

ABOUT TECHNICAL SPECIFICATIONS AND ILLUSTRATIONS:

All dimensions and weights are within possible tolerances of $\pm 5\%$ due to the use of natural raw materials.

Installations, modifications or extensions in unauthorised workshops not only endanger your safety. You also risk losing your general operating permit and the statutory warranty claims. Therefore, have repairs or retrofitting carried out only by an authorised T@B specialist dealer and insist on T@B original extras.

Any subsequent modifications and extensions, insofar as these are technically possible, require additional assembly and material costs. In individual cases, special request combinations may be mutually excluded.

The information on the delivery contents, measurements and weights as well as the appearance correspond to the knowledge at the time of printing 07/2021. We reserve the right to make changes on equipment, technical data, serial equipment and prices.

After a contract has been concluded, we reserve the right to make technical changes within the framework of the construction insofar as they serve technical progress and are acceptable for the customer. Minor colour and texture deviations are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material (e.g. colour deviations of up to approx. 2.0 dE between paint on sheet metal and paint on GRP/plastic) and are reasonable for the customer.

Some illustrations show equipment features which are not included in the serial equipment and/or which can be ordered at extra cost (optional extras), and in some cases also equipment features of prototypes/studies/country variants which do not correspond to the serial status and which cannot be ordered as optional extras. Minor colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded due to printing processes.

Therefore, before purchasing a vehicle, please seek comprehensive advice on the current status of the series from an authorised T@B dealer. The decoration shown in the catalogue is not part of the equipment supplied.

ABOUT WEIGHTS, CALCULATION EXAMPLES AND NORMS

The water supply system corresponds at least to

the state of the art 03/2009 (Directive 2002/72/EC)

T@B leisure vehicles are characterised by their technical progress. Through innovative solutions such as the use of high-strength steels for the chassis or intelligent honeycomb technology in furniture construction, low tare weights of the T@B leisure vehicles are created.

The mass of the empty vehicle as referred to in the price list is the mass of the vehicle with standard equipment and without basic equipment, i.e. without the driver's weight, „liquids“ and optional fittings as referred to in art. 2, ciff. 3 VO (EU) 1230/2012. The mass in running order, see Article 2, ciff. 4 a) VO (EU) 1230/2012, unless not regulated otherwise, is defined as follows:

Mass of the vehicle with standard equipment as referred to in manufacturer specifications (incl. tool kit):

- + Liquid gas bottles (5 /11 kg) filled to 100% (i. e. 10 /23 kg total mass)

- + Fresh water tank (filled to 100%)

- + Toilet flush tank (filled to 100%)

- + Fresh water boiler (filled to 100%)

- = Mass in running order

The „technically permissible total mass“ see Article 2, ciff. 7 VO (EU) 1230/2012 is defined as follows:

The mentioned vehicle's maximum mass from the manufacturer in loaded state, i. e. the maximum permissible total mass of the vehicle in running order with special equipment and payload (passengers, luggage, etc.)

The maximum permissible payload as referred to in the T@B catalogue is defined as:

Technically permissible total mass

- Mass in running order

- = Maximum permissible payload

Example:

(Technically permissible total mass) 1.400 kg

- (Mass in running order) 1.090 kg

- = (Maximum permissible payload) 310 kg

LEGALLY REQUIRED INFORMATION

The information provided for a vehicle under the heading „Technical data / equipment details“ initially refers to the basic type of model approved under the EC type-approval procedure. Within the scope of country variants and special models, these values may differ if necessary. Please inform yourself about such deviations personally at your T@B specialist dealer.

Pay particular attention to the following:

The maximum load capacity as defined in the catalogue specifications is reduced, for example, by the mass of the additional equipment.

When selecting additional equipment, you are responsible for ensuring that your T@B leisure vehicle, after deducting the mass of the additional equipment from the maximum load capacity, must

still have a minimum load capacity (= minimum payload) which must under no circumstances be undercut (see Annex I, Part D, ciff. 2.3.4.1 OF (EU) 1230/2012)

(Maximum number of beds

- + Total length of the vehicle body in m)

- x 10

- = Minimum payload capacity in kg

- [(Maximum number of beds) 4

- + (Total length of the vehicle body in m) 5]

- x 10

- = 90 kg.

As the buyer of a T@B leisure vehicle, you are obliged to comply with the minimum payload. If the vehicle you wish to order does not have the required payload capacity and minimum payload due to the optional equipment selected, you have two options to choose from for your order:

- Increasing the load of the vehicle

- De-selecting optional equipment

Your T@B dealer will provide you with information on the remaining minimum payload of your vehicle at any time upon request.

The mass of the vehicle with standard equipment according to manufacturer specifications is determined through weighing of the vehicle with standard serial equipment.

As a user of a caravan, you are obliged to comply with the „technically permissible total mass“ and the respective maximum axle and drawbar loads when driving and to ensure that the load distribution is appropriate and dependent on axle and drawbar load.

Furthermore, you are obliged to observe all other regulations necessary for the safe operation of your caravan.

SPECIFICATIONS AND INFORMATION ABOUT PRICES

Ordering optional equipment which substitutes specific package options will not be delivered additionally.

The prices indicated are recommended retail prices of the manufacturer. The prices quoted include the statutory value added tax applicable at the time and, if applicable, other legally prescribed calculation factors or taxes which may also be shown separately. The prices are (depending on the country) exclusive of the costs for registration papers, delivery and transport, unless expressly stated otherwise.

The recommended retail prices for optional equipment are only valid for factory installation in new vehicles in current production. In addition, subsequent installation is not possible for all optional equipment offered. The prices of the individual packages are fixed prices and cannot be changed by additional options.

Please seek advice on further details at your T@B specialist dealer.



Knaus Tabbert AG

Helmut-Knaus-Straße 1 | D-94118 Jandelsbrunn | Germany

www.tabme.de