



2021-1

# TECHNICAL DATA



## Technical details



| Technical specifications                                    | T@B 320     |                         | T@B 400     |
|---|-------------|-------------------------|-------------|
|   | BASIC       | OFFROAD<br>(Note: H721) | BASIC       |
| <b>BASIC EQUIPMENT</b>                                      |             |                         |             |
| Total length incl. drawbar (cm)                             | 517         | 517                     | 597         |
| Usable length (cm)  | 340         | 340                     | 421         |
| Width (outer/inner) (cm)                                    | 201 / 180   | 201 / 180               | 225 / 204   |
| Height (outer/inner) (cm)                                   | 244 / 182   | 249 / 182               | 261 / 198   |
| Mass of unladen vehicle (kg)                                | 620         | 650                     | 910         |
| Mass in running order (kg) (Note: H140,H720)                | 655         | 690                     | 980         |
| Technically maximum authorised laden mass (kg) (Note: H720) | 800         | 1.000                   | 1.200       |
| Maximum payload (kg) (Note: H720)                           | 145         | 310                     | 220         |
| Tyre size   | 195/55 R 15 | 205/70R15               | 205/65 R 15 |
| Rim size  | 5 1/2 J x15 | 6Jx15                   | 5 1/2 J x15 |
| Beds (Note: H141)   | 2           | 2                       | 2           |
| Max. number of beds (Note: H142)                            | 2           | 2                       | 2           |
| <b>BODY</b>   |             |                         |             |
| Window with integrated double blind                         | 5           | 5                       | 5           |
| Body door (width x height)                                  | 55 x 150    | 55 x 150                | 55 x 150    |
| Wall thickness, roof (mm)                                   | 31          | 31                      | 31          |
| Wall thickness, side wall (mm)                              | 31          | 31                      | 31          |
| Wall thickness, floor (mm)                                  | 38          | 38                      | 38          |
| <b>LIVING AREA</b>  |             |                         |             |
| Bed size, front (cm)  | –           | –                       | 70 x 195    |
| Bed size, rear (cm)   | 175 x 200   | 175 x 200               | 145 x 198   |
| <b>WATER</b>  |             |                         |             |
| Fresh water volume in liters                                | 20          | 45                      | 45          |
| <b>KITCHEN</b>  |             |                         |             |
| Refrigerator (ltr.)   | –           | –                       | 106         |
| <b>ELECTRICAL SUPPLY</b>                                    |             |                         |             |
| Number of 230 V socket(s)                                   | 2           | 2                       | 4           |
| Number of USB socket(s)                                     | 1           | 1                       | –           |

| o = option   – = not available   s = standard equipment  | T@B 320 | T@B 400 |
|--|---------|---------|
| <b>Style BASIC –</b><br>Basic all around plastic trim without side wall stickers   | s       | s       |
| <b>Style MEXICAN SUNSET –</b><br>Basic all around plastic trim incl. side wall stickers                                    | o       | o       |
| <b>Style METROPOLIS –</b><br>Basic all around plastic trim incl. side wall stickers  | o       | o       |
| <b>Style OFFROAD –</b><br>Basic all around plastic trim incl. side wall stickers,<br>striking attachments in OFFROAD optic | s       | –       |

| Item no.  | Standard equipment<br>o = option   – = not available   s = standard equipment  | T@B 320 |         | T@B 400 |
|-----------|--|---------|---------|---------|
|           |  | BASIC   | OFFROAD | BASIC   |
|           | <b>Chassis / Load increase</b>   |         |         |         |
| 152832    | AL-KO chassis with trailing arm axle   | s       | s       | s       |
| 152834    | Mono-axle  | s       | s       | s       |
| 152838    | Servo-assisted handbrake   | s       | s       | s       |
| 152828    | 15" standard wheels  | s       | s       | s       |
|           | <b>Doors</b>   |         |         |         |
| 100588-01 | Body door: T@B: one-piece with porthole window (Dependent on layout)   | s       | s       | –       |
|           | <b>Service hatches / garage doors</b>  |         |         |         |
| 102914-06 | Gas locker for gas bottle reserves 2 x 5 kg (Dependent on layout) (Dependency: ABH5335)  | s       | s       | –       |
|           | <b>Windows / roof hoods / ventilation</b>  |         |         |         |
| 102923-02 | High-quality double-glazed plastic windows with safety locking   | s       | s       | s       |
| 101351-02 | Roof hood (lift-tilt) 40 cm x 40 cm with insect screen and blackout, clear (centre)  | s       | s       | s       |
|           | <b>Materials / Vehicle graphics</b>  |         |         |         |
| 102926-09 | Aluminium plain sheet version of side walls, silver  | s       | s       | s       |
|           | <b>Furniture / surfaces</b>  |         |         |         |
| 552940-08 | Furniture decor: Salem Ash and Lino  | s       | s       | s       |
| 552944    | Vinyl flooring   | s       | s       | s       |
|           | <b>Living / sleeping / upholstery and fabrics</b>  |         |         |         |
| 552945-06 | Foam mattresses with wooden slatted frame  | s       | s       | s       |
| 552335-50 | Upholstery selection: Basic  | s       | s       | s       |
|           | <b>Kitchen / Bathroom</b>  |         |         |         |
| 402985-12 | High-quality 2-burner cooker-sink combination with glass cover (Dependent on layout) (Dependency: ABH5337)   | s       | s       | –       |
| 403567    | Storage cabinet instead of refrigerator (Dependent on layout)  | s       | s       | –       |
|           | <b>Heating / Air conditioning / Gas supply / Water supply</b>  |         |         |         |
| 302973    | Gas system 30 mbar   | s       | s       | s       |
| 302974    | Gas hose version D/AT/ES/FI/BE/IT/NL/DK  | s       | s       | s       |
| 302978    | Gas regulator version D/AT/ES/FI/BE/IT/NL/DK   | s       | s       | s       |
| 453510-01 | Water supply with submerged pump   | s       | s       | s       |
| 453510-03 | Hot water supply with single-lever mixer tap   | s       | s       | s       |
| 452472    | Fresh water tank 45 ltr. fixed installation (Dependent on layout) (Dependency: ABH5341)  | o       | s       | s       |
| 453510-04 | Central waste water pipe laying, one external drain under floor  | s       | s       | s       |
| 452718    | Water filter system "BWT - Best-Camp mini"   | s       | s       | s       |
|           | <b>Electronics / Multimedia / Safety</b>   |         |         |         |
| 253525    | Electric coupling plug to the towing vehicle, Jäger 13-pin   | s       | s       | s       |
| 253522    | CEE external socket for 230 V with circuit breaker   | s       | s       | s       |
| 253529    | Ground fault circuit interrupter   | s       | s       | s       |
| 253528-03 | Converter 240 VA   | s       | s       | s       |
| 253517    | 230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version   | s       | s       | s       |
| 253534-18 | LED light strip under kitchen ceiling cabinet  | s       | s       | s       |
|           | <b>Awning / Awning Accessories</b>   |         |         |         |
| 103570    | Awning strip all-round left and right  | s       | s       | s       |
|           | <b>Miscellaneous</b>   |         |         |         |
| 953542-01 | Operating instruction (German)   | s       | s       | s       |
|           | <b>Accessories</b>   |         |         |         |
| 953543    | 10-year leak-proofness guarantee   | s       | s       | s       |
| 952823    | MediKit voucher: Voucher for an extensive medication set (includes among others wound spray, disinfectant spray and various pharmacy drugs) (Note: H137) | s       | s       | s       |

| Item no.      | Packages  |  |  |  |
|---------------|---|--|--|--|
| <b>150005</b> | <b>12 V supply package (25 kg)</b>  |  |  |  |
|               | Electronic charger 28 A with voltage filter for opt. charging in driving mode     |  |  |  |
|               | AGM battery, suitable for solar technology  |  |  |  |
|               | Display for battery power via board control                                       |  |  |  |
| <b>150007</b> | <b>Autarkic package - T@B L (400 TD) (32 kg)</b>                                  |  |  |  |
|               | Electronic charger 28 A with voltage filter for opt. charging in driving mode     |  |  |  |
|               | Battery monitor   |  |  |  |
|               | Solar controller  |  |  |  |
|               | Connection for battery temperature sensor   |  |  |  |
|               | AGM battery, suitable for solar technology  |  |  |  |
|               | Display for battery power via board control                                       |  |  |  |
|               | Hot water system via Truma boiler BN 10 (gas/electric) - omission of Truma Therme |  |  |  |
|               | Toilet room with shower fittings and curtain (without 230 V socket)               |  |  |  |

| Item no.  | Features and options<br>o = option   – = not available   s = standard equipment           | KG | T@B 320 |         | T@B 400 |
|-----------|---|----|---------|---------|---------|
|           |   |    | BASIC   | OFFROAD | BASIC   |
|           | <b>Chassis / Load increase</b>  |    |         |         |         |
| 150997    | AL-KO Trailer Control-ATC - Anti-skid system (2.0)  | 4  | o       | o       | o       |
| 150267    | Stabiliser safety coupling (Dependency: ABH5327)  | 4  | o       | o       | o       |
| 102868    | Anti-tipper bracket   | -  | –       | –       | s       |
|           | <b>Load increase</b>  |    |         |         |         |
| 150111-15 | Load increase to 800 kg (850 kg chassis)  | -  | s       | –       | –       |
| 150111-01 | Load increase to 850 kg (850 kg chassis)  | -  | o       | –       | –       |
| 150112-01 | Load increase to 1,000 kg (1,000 kg chassis)  | 10 | o       | –       | –       |
| 150111-02 | Load increase to 1,000 kg (1,000 kg chassis)  | -  | –       | s       | –       |
| 150111-05 | Load increase to 1,200 kg (1,300 kg chassis)  | -  | –       | –       | s       |
| 150111-06 | Load increase to 1,300 kg (1,300 kg chassis)  | -  | –       | –       | o       |
| 150112-02 | Load increase to 1,400 kg (1,500 kg chassis)  | 20 | –       | –       | o       |
| 150112-03 | Load increase to 1,500 kg (1,500 kg chassis)  | 20 | –       | –       | o       |
|           | <b>Tyre equipment</b>   |    |         |         |         |
| 152830    | Steel rims 15"  | -  | s       | –       | –       |
| 151477-02 | Alloy rims (205/70 R15)6Jx15)   | -  | –       | s       | –       |
| 151477    | Alloy rims (195/55 R15)6Jx15)   | -  | o       | –       | –       |
| 151477-01 | Alloy rims (205/65 R15)6Jx15)   | -  | –       | –       | o       |
|           | <b>Transport systems</b>  |    |         |         |         |
| 551464    | Luggage nets (7 pieces)   | 1  | –       | –       | o       |
| 100039    | Bicycle carrier for 2 bikes (drawbar); maximum load capacity 30 kg                        | 10 | –       | –       | o       |
| 101456    | Bicycle carrier for 2 bikes (rear); maximum load capacity 40 kg (Dependency: ABH5329)     | 10 | o       | o       | o       |
| 101457    | Waterproof luggage box (Dependency: ABH5329)  | 9  | o       | o       | o       |
| 101455    | Basic rack (necessary for mounting the bicycle rack or luggage box) (Dependency: ABH5331) | 7  | o       | o       | o       |
|           | <b>Spare wheel</b>  |    |         |         |         |
| 151467    | Spare tyre with steel rim and holder on vehicle   | 23 | o       | –       | o       |
| 151468    | Spare tyre with alloy rim and holder on vehicle   | 21 | o       | o       | o       |
| 151469    | Spare tyre holder outside the vehicle and spare tyre with alloy rim (Dependency: ABH5333) | 25 | o       | o       | –       |
|           | <b>Doors</b>  |    |         |         |         |
| 100832    | Insect screen door  | 4  | o       | o       | o       |
| 102334    | Manual step   | 5  | o       | s       | –       |
|           | <b>Service hatches / garage doors</b>   |    |         |         |         |
|           | <b>Front</b>  |    |         |         |         |
| 102914-05 | Gas locker for gas bottle reserves 2 x 11 kg (Dependency: ABH5335)                        | -  | –       | –       | s       |
|           | <b>Rear</b>   |    |         |         |         |
| 102435-01 | Service hatch 34.9 cm x 29.6 cm, rear right   | 1  | o       | o       | –       |
| 100612-23 | Service hatch 70 cm x 30.5 cm, rear right   | 1  | –       | –       | o       |
|           | <b>Windows / roof hoods / ventilation</b>   |    |         |         |         |
| 551462    | Blackout roller blind and insect screen on the windows                                    | 3  | o       | o       | s       |
|           | <b>Front</b>  |    |         |         |         |
| 101342-01 | Hinged window (bow)   | 6  | –       | –       | s       |
|           | <b>Rear</b>   |    |         |         |         |
| 103565    | Sky View electric, with lighting  | 12 | –       | –       | s       |
|           | <b>Toilet room</b>  |    |         |         |         |
| 100960-04 | Roof hood 28 cm x 28 cm with insect screen, (toilet room)                                 | 2  | –       | –       | s       |
|           | <b>Materials</b>  |    |         |         |         |
| 102926-04 | Alufiber roof with reduced hail sensitivity, silver                                       | -  | –       | –       | s       |
| 101470    | Roof moulding lateral / rear  | 2  | o       | o       | –       |
| 101471    | Roof moulding longitudinal / rear   | 3  | o       | o       | o       |

| Item no.  | Features and options<br>o = option   – = not available   s = standard equipment                           | KG | T@B 320 |         | T@B 400 |
|-----------|---|----|---------|---------|---------|
|           |   |    | BASIC   | OFFROAD | BASIC   |
|           | <b>Lighting / Technics</b>  |    |         |         |         |
| 252936    | Awning light LED  | -  | –       | –       | s       |
|           | <b>Upholstery and fabrics</b>   |    |         |         |         |
|           | <b>Upholstery variants</b>  |    |         |         |         |
| 552335-51 | Upholstery selection: Los Cabos   | -  | o       | o       | o       |
| 552335-72 | Upholstery selection: OCEAN SPRAY   | -  | o       | o       | o       |
| 552188-04 | Upholstery selection: Active Rock   | -  | o       | o       | o       |
| 552188-02 | Upholstery selection: Active Royal  | -  | o       | o       | o       |
|           | <b>COZY HOME consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner</b>        |    |         |         |         |
| 550660-06 | Package PEACH   | 3  | o       | o       | o       |
| 550660-05 | Package MAGNOLIA  | 3  | o       | o       | o       |
| 550660-04 | Package AQUA  | 3  | o       | o       | o       |
| 550660-03 | Package AVOCADO   | 3  | o       | o       | o       |
| 550660-02 | Package STONE   | 3  | o       | o       | o       |
| 550660-01 | Package EARTH   | 3  | o       | o       | o       |
|           | <b>Kitchen / Bathroom</b>   |    |         |         |         |
|           | <b>Kitchen area</b>   |    |         |         |         |
| 402985-04 | High-quality 3-burner cooker with cast iron grate and glass cover, deep sink (Dependency: ABH5337)        | -  | –       | –       | s       |
| 402991-01 | Refrigerator 106 ltr.   | -  | –       | –       | s       |
| 401939    | Refrigerator 60 ltr. incl. freezer compartment (Dependency: ABH5339)                                      | 20 | o       | o       | –       |
|           | <b>Bathroom area</b>  |    |         |         |         |
| 451441    | Shower extension with fittings, omission of the 230 V socket in the TR                                    | 4  | –       | –       | o       |
| 451465    | Upholstered stool - suitable for Thetford Porta Potti Qube 335  | 6  | o       | o       | –       |
| 453503-01 | Bench toilet Thetford   | -  | –       | –       | s       |
|           | <b>Heating / Air conditioning / Gas supply / Water supply</b>   |    |         |         |         |
|           | <b>Heating / Air conditioning</b>   |    |         |         |         |
| 551054    | Air circulation system 12 V   | 3  | –       | –       | s       |
| 352968    | Gas heating Truma S 3004 with Piezo ignition  | -  | –       | –       | s       |
| 351475    | Heating Truma S 2200 with Piezo   | 8  | o       | o       | –       |
| 550086    | Truma Ultraheat   | 2  | –       | –       | o       |
| 351388    | Electric underfloor heating to body length 550  | 11 | –       | –       | o       |
| 552528    | Air conditioning Truma Saphir Comfort (Note: H145)  | 23 | o       | o       | o       |
|           | <b>Water supply</b>   |    |         |         |         |
| 453514    | 20-litre fresh water canister   | -  | s       | –       | –       |
| 452472    | Fresh water tank 45 ltr. fixed installation (Dependent on layout) (Dependency: ABH5341)                   | 4  | o       | s       | s       |
|           | <b>Electronics / Multimedia / Safety</b>  |    |         |         |         |
|           | <b>Electronics</b>  |    |         |         |         |
| 551480    | Ambient lighting  | 3  | –       | –       | o       |
|           | <b>Multimedia</b>   |    |         |         |         |
| 551415    | TV holder for flat screen with 230 V and TV connection  | 4  | –       | –       | o       |
|           | <b>Safety</b>   |    |         |         |         |
| 252698    | velocate® GPS tracker (hardware without personal tracking function, theft tracking for an additional fee) | -  | o       | o       | o       |
| 252815    | velocate® LIFETIME license with unlimited, personal, EU-wide tracking (Dependency: ABH5343)               | -  | o       | o       | o       |
|           | <b>Miscellaneous</b>  |    |         |         |         |
| 951036    | MOT and registration document   | -  | o       | o       | o       |
|           | <b>Accessories</b>  |    |         |         |         |
| 952538    | Factory collection caravans Germany   | -  | o       | o       | o       |
| 150620    | Breakdown service set   | 2  | o       | o       | o       |

## NOTES AND DEPENDENCIES

| <b>General notes</b> |   |
|----------------------|---|
| H721                 | The name «OFFROAD» only describes one of the vehicle's styling versions and neither justifies an authorized usability of the caravan, nor a quality agreement or a possible use after the purchase agreement or a suitability for a customary use.  |
| H140                 | Mass in running order based on the homologated basic model  |
| H720                 | incl. 100% fresh water tank filling (with Style OFFROAD + T@B 400 = 45l tank; with T@B 320 = 20l canister as standard); 100% gas; power supply; cable drum. Maximum payload (kg) as defined in the T@B catalogue indications = difference between technically permissible total mass and mass in running order. Please note the further notes and explanations on the back.   |
| H141                 | Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your T@B dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.  |
| H142                 | For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your T@B dealer will be happy to advise you.  |
| H137                 | A voucher to redeem the medicine set is enclosed with the vehicle. The medicine set contains medicines that must be purchased from a pharmacy. The voucher can therefore only be redeemed at the responsible MediKit mail-order pharmacy at <a href="http://www.medikit.shop">www.medikit.shop</a> You can also obtain further information about your MediKit at <a href="http://www.medikit.shop">www.medikit.shop</a> . |

| <b>General dependencies</b> |   |
|-----------------------------|---|
| ABH5327                     | Includes 953557                                       |
| ABH5329                     | Only in combination with 101471 and 101455 and 150267 |
| ABH5331                     | Only in combination with 101471 and 150267            |
| ABH5333                     | Only in combination with 101470                       |
| ABH5335                     | Includes 953561                                       |
| ABH5337                     | Includes 953554                                       |
| ABH5339                     | Replaces 403567                                       |
| ABH5341                     | Replaces 453514                                       |
| ABH5343                     | Only in combination with 252698                       |

## NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

## IMPORTANT INFORMATION

**For leisure vehicles made by T@B, we grant you a 10-year leak-proofness guarantee on the body manufactured by us in addition to your compulsory guarantee within the framework of our guarantee conditions.**

**Please note the following important information FOR ALL LEISURE VEHICLES MADE BY T@B:**

### ABOUT THIS PRICE LIST:

The content corresponds to the state of printing in 08/2020.  
The price list is valid as from 09/2020 for the 2021 model year. Previous price lists, brochure information and technical data are no longer valid in relation to the vehicles offered.  
Errors and misprints are reserved.

### ABOUT TECHNICAL SPECIFICATIONS AND ILLUSTRATIONS:

All dimensions and weights are within possible tolerances of  $\pm 5\%$  due to the use of natural raw materials.

Installations, modifications or extensions in unauthorised workshops not only endanger your safety. You also risk losing your general operating permit and the statutory warranty claims. Therefore, have repairs or retrofitting carried out only by an authorised T@B specialist dealer and insist on T@B original extras.

Any subsequent modifications and extensions, insofar as these are technically possible, require additional assembly and material costs. In individual cases, special request combinations may be mutually excluded.

The information on the delivery contents, measurements and weights as well as the appearance correspond to the knowledge at the time of printing 08/2020. We reserve the right to make changes on equipment, technical data, serial equipment and prices.

After a contract has been concluded, we reserve the right to make technical changes within the framework of the construction insofar as they serve technical progress and are acceptable for the customer. Minor colour and texture deviations are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material (e.g. colour deviations of up to approx. 2.0 dE between paint on sheet metal and paint on GRP/plastic) and are reasonable for the customer.

Some illustrations show equipment features which are not included in the serial equipment and/or which can be ordered at extra cost (optional extras), and in some cases also equipment features of prototypes/studies/country variants which do not correspond to the serial status and which cannot be ordered as optional extras. Minor colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded due to printing processes.

Therefore, before purchasing a vehicle, please seek comprehensive advice on the current status of the series from an authorised T@B dealer. The decoration shown in the catalogue is not part of the equipment supplied.

### ABOUT WEIGHTS, CALCULATION EXAMPLES AND NORMS

The water supply system corresponds at least to the state of the art 03/2009 (Directive 2002/72/EC)

T@B leisure vehicles are characterised by their technical progress. Through innovative solutions such as the use of high-strength steels for the chassis or intelligent honeycomb technology in furniture construction, low tare weights of the T@B leisure vehicles are created.

The mass of the empty vehicle as referred to in the price list is the mass of the vehicle with standard equipment and without basic equipment, i.e. without the driver's weight, „liquids“ and optional fittings as referred to in art. 2, ciff. 3 VO (EU) 1230/2012.

The mass in running order, see Article 2, ciff. 4 a) VO (EU) 1230/2012, unless not regulated otherwise, is defined as follows:

Mass of the vehicle with standard equipment as referred to in manufacturer specifications (incl. tool kit):

- + Liquid gas bottles (5 /11 kg) filled to 100% (i. e. 10 /23 kg total mass)
  - + Fresh water tank (filled to 100%)
  - + Toilet flush tank (filled to 100%)
  - + Fresh water boiler (filled to 100%)
- = Mass in running order

The „technically permissible total mass“ see Article 2, ciff. 7 VO (EU) 1230/2012 is defined as follows:

The mentioned vehicle's maximum mass from the manufacturer in loaded state, i. e. the maximum permissible total mass of the vehicle in running order with special equipment and payload (passengers, luggage, etc.)

The maximum permissible payload as referred to in the T@B catalogue is defined as:

Technically permissible total mass

– Mass in running order

= Maximum permissible payload

Example:

(Technically permissible total mass) 1.400 kg

– (Mass in running order) 1.090 kg

= (Maximum permissible payload) 310 kg

### LEGALLY REQUIRED INFORMATION

The information provided for a vehicle under the heading „Technical data / equipment details“ initially refers to the basic type of model approved under the EC type-approval procedure. Within the scope of country variants and special models, these values may differ if necessary. Please inform yourself about such deviations personally at your BRAND specialist dealer.

Pay particular attention to the following:

The maximum load capacity as defined in the catalogue specifications is reduced, for example, by the mass of the additional equipment.

When selecting additional equipment, you are responsible for ensuring that your T@B leisure vehicle, after deducting the mass of the additional equipment from the maximum load capacity, must still have a minimum load capacity (= minimum payload) which must under no circumstances be undercut (see Annex I, Part D, ciff. 2.3.4.1 0F (EU) 1230/2012)

(Maximum number of beds

+ Total length of the vehicle body in m)

x 10

= Minimum payload capacity in kg

[(Maximum number of beds) 4

+ (Total length of the vehicle body in m) 5]

x 10

= 90 kg.

As the buyer of a T@B leisure vehicle, you are obliged to comply with the minimum payload. If the vehicle you wish to order does not have the required payload capacity and minimum payload due to the optional equipment selected, you have two options to choose from for your order:

– Increasing the load of the vehicle

– De-selecting optional equipment

Your T@B dealer will provide you with information on the remaining minimum payload of your vehicle at any time upon request.

The mass of the vehicle with standard equipment according to manufacturer specifications is determined through weighing of the vehicle with standard serial equipment.

As a user of a caravan, you are obliged to comply with the “technically permissible total mass” and the respective maximum axle and drawbar loads when driving and to ensure that the load distribution is appropriate and dependent on axle and drawbar load.

Furthermore, you are obliged to observe all other regulations necessary for the safe operation of your caravan.

### SPECIFICATIONS AND INFORMATION ABOUT PRICES

Ordering optional equipment which substitutes specific package options will not be delivered additionally.

The prices indicated are recommended retail prices of the manufacturer. The prices quoted include the statutory value added tax applicable at the time and, if applicable, other legally prescribed calculation factors or taxes which may also be shown separately. The prices are (depending on the country) exclusive of the costs for registration papers, delivery and transport, unless expressly stated otherwise.

The recommended retail prices for optional equipment are only valid for factory installation in new vehicles in current production. In addition, subsequent installation is not possible for all optional equipment offered. The prices of the individual packages are fixed prices and cannot be changed by additional options.

Please seek advice on further details at your T@B specialist dealer.

